15

What is Claimed:

- A delivery managing system for managing delivery of a delivery goods from a distribution center through an agent to a receiver, comprising:
- 5 a client for providing at least a schedule information of the receiver;
 - a distribution server for providing at least a delivery schedule information and for managing delivery of the delivery goods;
 - an agent server for managing commission on the delivery goods by the agent;
 - a data transmission network, through which said client, said agent server and said distribution server are connected to one another:
 - means for determining date and time for delivery of the delivery goods, alternatively, for deciding the agent to be used, between said client and said distribution server; and
- means for noticing of store-in and/or store-out of the

 delivery goods into and/or from the agent to at least one
 of said distribution server and said client.
 - 2. A delivery managing system for managing delivery of a delivery goods from a distribution center through an agent to a receiver, comprising:
- 25 a client for providing at least a schedule information

15

25

of the receiver;

a distribution server for providing at least a delivery schedule information and for managing delivery of the delivery goods;

5 an agent server for managing commission on the delivery goods by the agent;

a data transmission network, through which said client, said agent server and said distribution server are connected to one another;

means for determining date and time for delivery of the delivery goods, alternatively, for deciding the agent to be used, among said client, said distribution server and said agent server; and

means for noticing of store-in and/or store-out of the delivery goods into and/or from the agent to at least one of said distribution server and said client.

- 3. A delivery managing system as defined in Claim 1 or 2, there is further provided means for managing information on the store-in and/or store-out of the delivery goods into and/or from the agent and detecting abnormality of the delivery goods in at least one of said distribution server and said client.
- 4. A delivery managing system for managing delivery of a delivery goods from a distribution center to a receiver, comprising:

25

a client for providing at least a schedule information of the receiver;

a distribution server for providing at least a delivery schedule information and for managing delivery of the delivery goods;

a data transmission network, through which said client and said distribution server are connected to each other; and

means for determining date and time for delivery of the delivery goods, alternatively, for deciding an agent to be used between said distribution server and said client.

5. A delivery managing system for managing delivery of a delivery goods from a distribution center to a receiver, comprising:

a client for providing at least a schedule information of the receiver;

a distribution server for providing at least a delivery schedule information and for managing delivery of the delivery goods;

20 a data transmission network, through which said client and said distribution server are connected to each other; and

means for determining date and time for delivery of the delivery goods between said client and said distribution server.

- 6. A delivery managing system for managing delivery of a delivery goods from a distribution center through an agent to a receiver, comprising:
- a distribution server for providing at least a delivery schedule information and for managing delivery of the delivery goods;
 - an agent server for managing commission on the delivery goods by the agent;
- a data transmission network, through which said

 10 distribution server and said agent server are connected to
 each other; and

means for noticing of store-in and/or store-out of the delivery goods into and/or from the agent, from said agent server to said distribution server or the receiver; and

means for managing information on the store-in and/or store-out of the delivery goods into and/or from the agent and detecting abnormality of the delivery goods, in said distribution server.

7. A delivery managing system as defined in Claim 1
20 or 2, wherein there is further provided means for outputting
an delivery goods information, in at least one of said
distribution server and said client, said distribution
server includes means for noticing the delivery goods
information to said agent server, and said agent server
25 includes means for reading out the delivery goods

information from said outputting means, and means for comparing the delivery goods information noticed from said distribution server with the delivery goods information read out by said reading out means.

- 8. A delivery managing system as defined in Claim 1,
 - 2, 4 or 5, wherein said client further comprises:

means for compiling the schedule information;

means for noticing deletion of the schedule information for receiving the delivery goods to said distribution server related thereto, responding the deletion thereof; and

means for deleting the related schedule information responding to a notice of deletion of the delivery schedule information from said distribution server; wherein said distribution server further comprises:

means for deleting the delivery schedule information of the delivery goods responding to the notice of deletion of the schedule information for receiving the delivery goods from said client.

9. A delivery managing system as defined in Claim 1,
 2, 4, 5 or 6, wherein said distribution server further comprises:

means for compiling the delivery schedule information; and

25 means for noticing deletion of the delivery schedule

25

information to all of said client relating the deletion thereof.

- A delivery managing system as defined in Claim
 2 or 6, wherein said agent server further comprises:
- a delivery locker having a plurality of boxes into which the delivery goods can be stored, each box thereof comprising at least means for observing thereof; and

means for deciding the store-in and/or store-out of
the delivery goods into and/or from said agent by using the
.
10 observing means of said delivery locker.

11. A delivery managing system for managing delivery of a delivery goods from a distribution center through an agent to a receiver, comprising:

a client for providing at least a schedule information 15 of the receiver or an information of the agent to be used;

a distribution server for managing delivery of the delivery goods;

an agent server for managing commission on the delivery goods by the agent and having means for detecting store—in and/or store—out of the delivery goods into and/or from the agent; and

a data transmission network, through which said client, said agent server and said distribution server are connected to one another; wherein said distribution server comprises:

means for providing a delivery schedule information

15

on delivery schedule and a delivery goods information on a content of the delivery goods and for noticing of a list of available delivery schedule information to said client on the basis of the delivery schedule information and the a delivery goods information;

means for setting date and time for delivery of the delivery goods or the agent to be used into the delivery schedule information responding to the schedule information and the information of the agent to be used which are noticed from said client;

means for setting a condition of the store-in into the agent in the delivery goods information relating thereto, responding to a notice of the store-in of the delivery goods from said agent server:

means for setting a condition of the store-out from the agent in the delivery goods information relating thereto, responding to a notice of the store-out of the delivery goods from said agent server;

means for outputting the delivery goods information

of the delivery goods to be delivered to the agent; and

means for detecting the delivery goods information of
the delivery goods in abnormal condition;

said client further comprises:

means for providing a schedule information and a purchased goods information into which the contents of the

15

20

25

delivery goods and a criteria for use of the agent are described:

means for deciding to use the agent or not, on the basis of the list of the available delivery schedule information and the schedule information and the criteria for use of the agent of the purchased goods information from said distribution server, and for noticing of the date and time for delivery or the agent to be used to said distribution server, and for setting a receipt schedule of the delivery goods into the schedule information if it is decided not to use the agent;

means for setting the condition of the store-in into the agent in the purchased goods information of the delivery goods, responding to a notice of the store-in thereof from the agent server:

means for setting the condition of the store-out from the agent in the purchased goods information of the delivery goods, responding to a notice of the store-out thereof from the agent server;

means for outputting the purchased goods information
of the delivery goods to be delivered to the agent server;
and

said agent server further comprises:

means for providing a commissioned goods information relating to the delivery goods which are transferred from

the distribution center into the agent to be commissioned;

means for setting an information relating to the store—in of the delivery goods to be commissioned, into the commissioned goods information, and for noticing thereof to said distribution server and said client relating thereto, responding to input of the store—in of the delivery goods to be commissioned; and

means for setting an information relating to the store-out of the delivery goods to be commissioned, into the commissioned goods information, and for noticing thereof to said distribution server and said client relating thereto, responding to input of the store-out of the delivery goods to be commissioned.

12. A delivery managing system as described in Claim15. 11, wherein said agent server further comprises:

a delivery locker for common use, which comprises a plurality boxes, and box open/close devices and box observation devices for each box thereof;

means for providing the commissioned goods

20 information relating to the delivery goods transferred from
the distribution center, and a locker information having
at least a size of each box and an identification number
of the delivery goods stored therein:

means, in response to input of the information relating to the store-in of the delivery goods to be

25

commissioned, for searching a box satisfying a condition for storing the delivery goods to be commissioned,

means for instructing releasing of key to the open/close device of the box which is searched out;

5 means for instructing locking of the key of the open/close device when a door of the box is closed again;

means for setting the store-in information to the commissioned goods information:

means for setting an identification code of the delivery goods to be commissioned into the locker information relating to the box into which the delivery goods is stored; and

means for noticing of the store-in of the delivery goods to be commissioned to said distribution server and said client related thereto;

means, in response to input of the identification code of the delivery goods to be commissioned;

means for instructing releasing of the key to the box open/close device of the box which is coincident with the identification code:

means for instructing locking of the key to the box open/close device when the door of the box is closed again;

means for setting the store-out of the delivery goods to be commissioned, into the locker information and the commissioned goods information; and

15

means for noticing of the store-in of the delivery goods to be commissioned to said distribution server and said agent server related thereto.

- 13. A delivery managing system for managing delivery of a delivery goods from a distribution center through an agent to a receiver, comprising:
 - a client for providing at least a requirement for receiving the delivery goods by the receiver;
 - a distribution server providing at least a delivery schedule information and for managing delivery of the delivery goods;
 - an agent server for managing commission on the delivery goods by the agent; and

a data transmission network, through which said client, said agent server and said distribution server are connected to one another.

- 14. A delivery managing system for managing delivery of a delivery goods from a distribution center through a agent to a receiver, comprising:
- 20 a client for providing at least a requirement for receiving the delivery goods by the receiver;
 - a distribution server providing at least a delivery schedule information and for managing delivery of the delivery goods;
- 25 an agent server for managing commission on the

25

delivery goods by the agent; and

a data transmission network, through which said client, said agent server and said distribution server are connected to one another, wherein a conveyable memory medium is used for communicating between said client and said agent server, on which an information relating to the delivery and the receipt on the delivery goods is outputted.

15. A delivery managing system for managing delivery of a delivery goods from a distribution center through an agent to a receiver, comprising:

a client for providing at least an order for receiving the delivery goods by the receiver;

a distribution server providing at least a delivery schedule information and for managing delivery of the delivery goods;

an agent server for managing commission on the delivery goods by the agent; and

a data transmission network, through which said client, said agent server and said distribution server are connected to one another, wherein said distribution server sends back an identification information corresponding to the order from said client to said client for certifying that an addressee of the delivery goods is to be said client when it is sent thereto, and outputs said identification number into a memory medium, which is attached onto said delivery

20

25

goods.

- 16. A delivery managing system for managing delivery of a delivery goods from a distribution center through a agent to a receiver, comprising:
- 5 a client for providing at least an order for receiving the delivery goods by the receiver;
 - a distribution server providing at least a delivery schedule information and for managing delivery of the delivery goods;
- an agent server for managing commission on the delivery goods by the agent; and

a data transmission network, through which said client, said agent server and said distribution server are connected to one another, wherein said distribution server sends back an identification information corresponding to the order from said client to said client as well as to said agent server depending on the order from said client or a shape of the delivery goods, and said agent server checks said identification information read from said client into a memory medium with the identification information from said distribution server when the goods is delivered.

17. A product program for use with a computer-aided delivery managing system for managing delivery of a delivery goods from a distribution center through an agent to a receiver, said system including at least a client, an agent

25

server and a distribution server, which are connected to one another through a data transmission network, comprising:

- $$\tt a$$ client source code segment for providing at least $\tt 5$ $\tt a$ schedule information of the receiver;
 - a distribution server source code segment for providing at least a delivery schedule information and for managing delivery of the delivery goods; and
 - an agent server source code segment for managing commission on the delivery goods by the agent, wherein at least one of said client source code segment and said distribution server source code segment includes:
 - a source code segment for determining date and time for delivery of the delivery goods, alternatively, for deciding the agent to be used, between said client and said distribution server, and said agent server source code segment includes:
 - a source code segment for noticing of store-in and/or store-out of the delivery goods into and/or from the agent to at least one of said distribution server and said client.
 - 18. A product program for use with a computer-aided delivery managing system for managing delivery of a delivery goods from a distribution center through an agent to a receiver, said system including at least a client and a distribution server, which are connected to each other

20

through a data transmission network, comprising:

- a client source code segment for providing at least a schedule information of the receiver; and
- a distribution server source code segment for providing at least a delivery schedule information and for managing delivery of the delivery goods, wherein at least one of said client source code segment and said distribution server source code segment includes:
- a source code segment for determining date and time

 10 for delivery of the delivery goods between said client and
 said distribution server.
 - 19. A product program for use with a computer-aided delivery managing system as defined in 17 or 18, wherein at least one of said client source code segment and said distribution server source code segment further comprises a source code segment of said informations in said client and said distributor server.
 - 20. A product program for use with a computer-aided delivery managing system for managing delivery of a delivery goods from a distribution center through an agent to a receiver, said system including at least an agent server and a distribution server, which are connected to each other through a data transmission network, comprising:
- a distribution server source code segment for 25 providing at least a delivery schedule information and for

managing delivery of the delivery goods; and

an agent server source code segment for managing commission on the delivery goods by the agent, wherein said agent server source code segment comprises:

5 a source code segment for noticing of store-in and/or store-out of the delivery goods into and/or from the agent, from said agent server to said distribution server or the receiver: and

a source code segment for managing information on the store-in and/or store-out of the delivery goods into and/or from the agent and detecting abnormality of the delivery goods, in said distribution server.

21. A product program for use with a computer-aided delivery managing system as defined in 20, wherein said distribution server source code segment further comprises a source code segment of said information in said distributor server.